



Method and system for verifying translation of localized messages for an internationalized application

FIG. 1A  
(PRIOR ART)





FIG. 1B  
(PRIOR ART)





AUS920010145US1

Kumhyr et al.

Method and system for verifying translation of localized messages for an internationalized application

2/5




FIG. 2





FIG. 4A



AUS920010145US1

Kumhyr, et. al.

Method and system for verifying translation of localized messages for an internationalized application

3/5

FIG. 3

```
// Lunar calendars

{"HijriStandard",
 {"HijriIndic",
 {"HijriTransliterated",
 {"ChineseLunar",
 {"JulianDayNumber",
 {"Um Al-Qura"},
 {"Um Al-Qura, Arabic-Indic digits"},
 {"Um Al-Qura, English transliteration},
 {"Chinese Lunar"},
 {"Julian Day Number"},
 {"Error messages",
 {"ERR_NOT_HOLIDAY"},
 {"ERR_NOT_DATE",
 {"VALID_RANGE",
 {"CAL_PREFS_MISMATCH"},
 {"There is a mismatch between calendar preferences versions.~312
 Please find and delete the old file: %s"},
 {"There is a mismatch between calendar holidays versions. Please find and delete the old file: %s"},
 .
 .
 .
```


302 {

304 {

306 {

310 {

314 {



AUS920010145US1

Kumhyr et al.

Method and system for verifying translation of localized  
messages for an internationalized application

4/5




FIG. 4B

